



THEATER DE LIEVEKAMP

Main Stage

Tech specs

Technical Department
5-7-2022

Index

Welcome at theater De Lievekamp	2
Contact	2
Loading dock.....	2
General working hours	2
Parking.....	2
Main hall.....	3
Seating	3
Measurements	3
Orkestbak	3
Marley	3
Flybars	4
Legs and borders	4
Stage decks.....	4
Grand piano.....	4
Light	5
Video	5
Audio.....	6
Intercom	7



Welcome at theater De Lievekamp

This document contains the technical specs of the main stage of our theater. We kindly ask to receive the technical rider at least 4 weeks prior to the show.

If there are any questions, please contact us.

Contact

Post address:	Theater De Lievekamp Raadhuislaan 14 5341 GM Oss
Main entrance:	Raadhuislaan 14 5341 GM Oss
Backstage entry: Loading dock:	Raadhuishof 5341 GZ Oss
Head technician:	Bram van Eerd 0412-66 76 75 techniek@lievekamp.nl
General phone:	0412-66 76 76
Ticket counter:	0412-64 89 22

Loading dock

Max hight	4,15 meter
Level from street	+1,20 meter

General working hours

Morning	10.00h
Lunch break	12.30h – 13.00h
Afternoon	17.00h
Start evening	19.00h
Showtime	20.15h

Parking

There is a large parking lot behind the theater. The according address is *Raadhuishof Oss*.

Parking fee €1,5H, with a maximum price of €4 for one day.



Main stage

Seating

Max capacity guests	660
Excluding orchestra pit	419
Balcony	206
Orchestra pit	35
Front of House	3m wide

Measurements

Overall size	22 meter wide 13 meter deep
Proscenium arch width	Min 9 meter, max 11,6 meter
Proscenium arch height	Max 7,3 meter
Front row to stage height	1 meter
CL to last flybar	9,4 meter
CL to horizon cloth	9,75 meter
CL to front of stage	1,95 meter
CL to house tabs	1,75 meter
Stage right	Between 1 and 3 meters wide 10 meter deep
Stage left	2,50 meter wide 10 meter deep
Stage left free passage	8,5 meter wide 10 meter deep 6,5 meter high
Backstage	3 meter deep 22 meter wide 3,3 meter high

Orkestbak

The orchestra pit has three levels: auditorium, stage and orchestra pit level down.

Dimensions	2 meter deep 11,3 meter wide
Dimensions leveler	Middle: 2,5 meter deep Sides: 1,9 meter deep 10 meter wide

Marley

15 meters wide, covering the whole stage.



Flybars

Brand	Stakebrand
Controlls	Unican Left and rights
Flybars	41 fly bars above stage 2 on the side 1 left, 1 right 1 sluiertrek in front of portal bridge 1 clustertrek in front of front curtain
Length	16 meter
Max weight	500 kg total 250 kg under steels 175 kg between steels
Max weight clustertrek	Max 250 kg
Heights	Min 0,25 meter, max 15,20 meter

Legs and borders

Legs	2 sets 9,75 meter high 4 sets 8 meter high
Borders	2 x 5 meter high 4 x 3 meter high
Horizon cloth	10 meter high 16 meter wide
Backdrop	10 meter high 16 meter wide
Side blacks	Both sides covering entire depth
Black gauze	8 meter high 12 meter wides
Color housetabs	Red
Contol housetabs	Stage right
Main curtain movement	Left – right / Greek

Stage decks

Amount	30
Hight	20 cm 40 cm 60 cm 80 cm 100 cm
Covering	All hights

Grand piano

Yamaha, type C7X, 2016.

Dressing rooms

Amount	14
Intercom	Yes
Washing machine	Yes, please contact in advance
Ironing	Available



Light

Consoles	1 Chamsys MQ80 incl. Magiqwing 1 Compulite Spark Top
Midi	No
Ethernet	Patchable
Control cabin	Yes
DMX512	Patchable
Connectors	Dimmers: Schuko Bridges: CEE 220V: Schuko DMX: 5polige XLR Harting: HAN16
Dimmers	60x 2.5KW
Follow spots	2x Robert Juliat Korrigan 1.2kW HMI
Cabine followspots	Balcony
380V	2x 3 fase 125A stage right 1x 3 fase 125A stage left
Fixtures	6x Robe T1. Available in consultation 12x Robe 150 led beam. Available in consultation 24x Clf hera. Available in consultation 10x ADB PC 2kW 10x ADB PC 1kW 8x ADB DW105 1kW zoom profile 7x ETC Source Four profil 750 HPI 4x Six bar PAR64 MFL 1kW 10x PAR64 MFL 1kW 6x PAR64 NARROW 4x4 cyclorama 1kW

Video

Projector Available in consultation	NEC PX803UL DLP LASER 8000 ANSI LUMEN 16:10 1920 x 1200 HDMI INPUT
Position	Flexible
Screens	AV Stumpfl 4x3 380cm x 290cm AV Stumpfl 16x9 380cm x 215cm AV Stumpfl 16x9 610cm x 343cm All 3 front and rear available
Controls	Logitech Cordless Presenter available. Roland V1HD



Audio

Mixers	Available in consultation Digico SD9 + D-rack Midas Venice 160 Allen & Heath SQ6 + GX4816
Processors	BSS SOundweb BLU160 BSS SOundweb BLU120
Speakers	SR + SL: 1x D&B Vi7P 2x D&B Vi-GSUB
Centercluster	D&B Vi7P
Infill	SR + SL: D&B E3
Under balcony	2x D&B E3
Balcony	SR + SL: D&B Vi7P
Balcony centercluster	D&B Vi10P
Omnwave	12 speakers
Wedges	4x D&B E3 4x D&B Max12 2x D&B Max15 6x D&B E-pac amplifiers
Microphones	9 Shure SM58 4 Shure Beta58 2 Shure SM58s 3 Shure Beta57 4 AKG SE300b 4 Crown PCC160 1 Crown LM300A lectern microphone 5 Sennheiser K6 3 Sennheiser E604 1 AKG D112 1 Behringer ECM800 6 Audix M1245 2 Neumann KSM184 D.I.'s 2 DPA 4099.
Wireless	4 Sennheiser FSW100 receiver 4 Sennheiser Beltpack 4 Sennheiser handheld 2 DPA 4066 headset 6 Sennheiser essential headset 3 Samson SE10 headset 3 Sennheiser MKE40 revers
Multi	From FOH/SL 32 send



	12 retour Cross SL/SR: 16 send 8 retour SR/Cabin 24 send 3 retour
Audio power	FOH: 2x 16A SR: 1x 3 fase 32A SL: 1x 3 fase 32A

Intercom

- 6 wireless
- FOH, Flybar, followspot are wired

